Contents

Preface vii

Conference Organization viii

Plenary session

Spin fluctuations in the metallic and superconducting states in the high-T_c system $YBa_2Cu_3O_{6+x}$
J. Rossat-Mignod, L.P. Regnault, P. Bourges, C. Vettier, P. Burlet and J.Y. Henry 1

Physics in low carrier strong correlation systems
T. Kasuya, Y. Haga, Y.S. Kwon and T. Suzuki 9

Chapter 1. Spectroscopy

Theory of core-level spectroscopy in actinide systems
A. Kotani and H. Ogasawara 16

Studies of uranium compounds by photoemission and bremsstrahlung isochromat spectroscopy
T. Ishii 21

Electronic structures of Yb intermetallic compounds studied by photoemission spectroscopy
S.-J. Oh 26

Photoemission and the Kondo model
J.J. Joyce, A.J. Arko, P.S. Riseborough, P.C. Canfield, J.M. Lawrence, R.I.R. Blyth, R.J. Bartlett, J.D. Thompson and Z. Fisk 31

Spectroscopic evidence of a Kondo scale in cerium compounds
M. Grioni, D. Malterre, P. Weibel, B. Dardel and Y. Baer 38

Surface and bulk electronic structure of metallic cerium systems
G. Kaindl, E. Weschke, C. Laubschat, R. Ecker and A. Höhr 44

Photoemission study of CeNi single crystals
T. Kashiwakura, S. Suzuki, T. Okane, S. Sato, T. Kinoshita, A. Kakizaki, T. Ishii, Y. Isikawa, H. Yamagami and A. Hasegawa 50

Optical and magneto-optical study of $CeRh_3B_2$
J. Schoenes, M. Krieger, P. Fumagalli and F. Hulliger 53

Giant magneto-optic effects and the approach to the heavy-fermion state
S.P. Lim, B.R. Cooper, Q.G. Sheng and D.L. Price 56

XPS and BIS studies of electronic structures of Sm_3Se_4 and Sm_4As_3
S. Suga, S. Imada, A. Ochiai and T. Suzuki 59

XPS and BIS studies of $CePd_2Al_3$
S. Suga, M. Takeda, Y. Mori, N. Shino, S. Imada and H. Kitazawa 63

Photoemission and BIS of RB_6 (R = rare earth element)
Y. Mori, N. Shino, S. Imada, S. Suga, T. Nanba, M. Tomikawa and S. Kunii 66

High resolution photoemission study of $YbAl_3$ at low temperature
E.-J. Cho, S.-J. Oh, C.G. Olson, J.-S. Kang, R.O. Anderson, L.Z. Liu, J.H. Park and J.W. Allen 70

Linear dichroism in Ce 3d X-ray absorption of $CeRh_3B_2$
S. Nakai, A. Kamata, K. Matsuda, H. Arai, A. Yagishita and M. Kasaya 74

Electronic structure of UC studied by X-ray photoemission and bremsstrahlung isochromat spectroscopy
T. Ejima, K. Murata, S. Suzuki, T. Takahashi, S. Sato, T. Kasuya, Y. Ōnuki, H. Yamagami, A. Hasegawa and T. Ishii 77

XPS and UPS studies of the electronic structures of YbB_6
A. Kakizaki, A. Harasawa, T. Kinoshita, T. Ishii, T. Nanba and S. Kunii 80

Linear and magnetic circular dichroism in the Ce 4d X-ray absorption spectroscopy of $CeRh_3B_2$
K. Yamaguchi, A. Misu, H. Namatame, I. Hase, A. Fujimori, M. Kasaya, T. Kasuya, T. Koide, T. Shidara, M. Yuri and H. Fukutani 83

XPS and BIS spectra of $U_3T_3X_4$ (T = Ni, Cu and X = Sn, Sb)
T. Ejima, Y. Kudo, S. Suzuki, T. Takahashi, S. Sato, T. Kasuya, T. Takabatake and T. Ishii 86

Resonant photoelectron spectra of Gd compounds
S. Kimura, F. Arai, Y. Tezuka, S. Shin, S. Kunii, T. Suzuki and M. Ikezawa 89

Chapter 2. Fermi surface

f-electron character of rare earth and uranium compounds
Y. Ōnuki 92

An energy band picture for the Fermi surfaces of f-electron compounds
A. Hasegawa and H. Yamagami 97

Fermi surface and critical field of YBCO
J.L. Smith, C.M. Fowler, B.L. Freeman, W.L. Hults, J.C. King, F.M. Mueller, D.G. Rickel, J.S. Brooks, J.D. Goettee, P.M. Mankiewich, E.I. De Obaldia, W.J. Skocpol and M.L. O'Malley 104

Acoustic de Haas–van Alphen effect and electron–strain interaction in f-electron systems
T. Goto, H. Matsui, R. Settai and S. Sakatsume 107

The dHvA effect and magnetotransport calculated with NCA
H. Keiter, F. Stephan and D.P. Tian 112

de Haas–van Alphen oscillations in superconducting states as a probe of gap anisotropy
K. Miyake 115

The Fermi surface and Luttinger's theorem
M. Springford 118

Fermi surface property of branch d in $CeIn_3$
T. Ebihara, I. Umehara, A.K. Albessard, K. Satoh and Y. Ōnuki 123

Acoustic de Haas–van Alphen effect in LaB_6 and CeB_6
H. Matsui, T. Goto, S. Kunii and S. Sakatsume 126

High-quality single-crystal growth and Fermi surface properties of UGe_2
S.W. Yun, K. Satoh, Y. Fujimaki, I. Umehara, Y. Ōnuki, S. Takayanagi, H. Aoki, S. Uji and T. Shimizu 129

Fermi surfaces in antiferromagnetic compounds $NdIn_3$ and NdB_6
Y. Kubo, S. Asano, H. Harima and A. Yanase 132

Local-density approach to the Fermi surfaces of $CeRu_2Si_2$ and $LaRu_2Si_2$
H. Yamagami and A. Hasegawa 136

Change of the Fermi surface in RIn_3
N. Nagai, I. Umehara, T. Ebihara, A.K. Albessard, H. Sugawara, T. Yamazaki, K. Satoh and Y. Ōnuki 139

De Haas–van Alphen effect in $LaRu_2Ge_2$
T. Fukuhara, K. Maezawa and J. Sakurai 143

Itinerant 4f electron in $CeRu_2Si_2$
A.K. Albessard, T. Ebihara, I. Umehara, K. Satoh, Y. Ōnuki, H. Aoki, S. Uji and T. Shimizu 147

Fermi surface and cyclotron mass above and below the Néel temperature in SmSb
K. Tanaka, N. Takeda, Y.S. Kwon, N. Sato, T. Suzuki and T. Komatsubara 150

Fermi surface and cyclotron mass of extremely low carrier system CeAs
N. Takeda, Y.S. Kwon, Y. Haga, N. Sato, T. Suzuki and T. Komatsubara 153

Electronic band structures of rare earth monopnictides under strain and pressure
Y. Kaneta, O. Sakai and T. Kasuya 156

Effect of non-muffin-tin corrections on the Fermi surface of CeNi
A. Hasegawa, H. Yamagami and S. Asano 159

Single-crystal growth and Fermi surface properties of $LaRh_2$
H. Sugawara, N. Nagai, K.A. Albessard, T. Yamazaki, J. Itoh, K. Satoh and Y. Ōnuki 162

Cryomagnetic system for the acoustic de Haas–van Alphen measurement
S. Sakatsume, H. Matsui, R. Settai, S. Nakamura, Y. Ohtani, S. Kasahara and T. Goto 165

2D-angular correlation of positron annihilation on CeSb single crystals
F. Itoh, H. Sakurai, T. Chiba, T. Akahane, T. Suzuki and Y. Kubo 169

Fermi surface of CeAs in very high magnetic fields
S. Nimori, A. Kido, G. Kido, Y. Nakagawa, Y. Haga and T. Suzuki 173

Acoustic de Haas–van Alphen effect in LaSb and CeSb
R. Settai, T. Goto, S. Sakatsume, Y.S. Kwon, T. Suzuki and T. Kasuya 176

4f energy levels in band theory and the Fermi surface structure of La and Ce compounds
O. Sakai and Y. Kaneta 179

Fermi surface of the ferromagnetic heavy-electron compound UGe_2
H. Yamagami and A. Hasegawa 182

de Haas–van Alphen effect and anisotropic magnetization of singlet ground state PrSb in high magnetic field
A. Kido, S. Nimori, G. Kido, Y. Nakagawa, Y. Haga and T. Suzuki 185

Chapter 3. Weak magnetism and heavy-fermion superconductivity

Ground state properties of UNi_2Al_3 and UPd_2Al_3
C. Geibel, A. Böhm, R. Caspary, K. Gloos, A. Grauel, P. Hellmann, R. Modler, C. Schank, G. Weber and F. Steglich 188

Superconductivity and magnetism in a single crystal of UPd_2Al_3
N. Sato, T. Sakon, K. Imamura, Y. Inada, H. Aono and T. Komatsubara 195

Point contact measurements of URu_2Si_2
K. Hasselbach, J.R. Kirtley and P. Lejay 201

Ground states of heavy electrons in metals
H.R. Ott, E. Felder and A. Bernasconi 207

On the magnetic and superconducting phases of heavy-fermion UPt_3
A. de Visser, N.H. van Dijk, K. Bakker and J.J.M. Franse 212

Superconducting double transition in UPt_3 and possible nontrivial vortex structures
K. Machida, M.-a. Ozaki, T. Fujita and T. Ohmi 218

Muon spin relaxation studies in strongly correlated electron systems
Y.J. Uemura and G.M. Luke 223

NMR study of weak magnetism and superconductivity in heavy-fermion systems
Y. Kitaoka, M. Kyogaku, K. Asayama, H. Nakamura, C. Geibel, C. Schank and F. Steglich 229

The study of phase transitions in URu_2Si_2 and CeB_6 by nonlinear susceptibility
Y. Miyako, H. Amitsuka, S. Kunii and T. Kasuya 236

Numerical renormalization group study of the Kondo effect in superconductors
H. Shiba, K. Satori, O. Sakai and Y. Shimizu 239

Electron transport properties in Ce-based amorphous heavy fermion systems
K. Sumiyama, Y. Homma, T. Hihara, S. Sakatsume and K. Suzuki 242

Thermodynamic constraints from ultrasound measurements in UPt_3
G.L. Bullock, B.S. Shivaram and D.G. Hinks 245

Phase diagram of superconducting UPt_3 by the magnetocaloric effect
B. Bogenberger, H. v. Löhneysen, T. Trappmann and L. Taillefer 248

Normal state resistivity and specific heat of $U_{1-x}Th_xBe_{13}$
E.A. Knetsch, G.J. Nieuwenhuys, J.A. Mydosh, R.H. Heffner and J.L. Smith 251

Giant exchange fields and reduced moments in Yb Kondo lattices
P. Bonville, G. Polatsek, J.A. Hodges, P. Imbert and G. LeBras 254

Ultrasound effects and neutron scattering in UPt_3
G. Bruls, D. Weber, I. Kouroudis, H. Weinfurter, K. Clausen, M. Yoshizawa, B. Lüthi and E. Bucher 258

Superconductivity of amorphous Ce–82at%Ru alloy
Y. Homma, K. Sumiyama, H. Iwasaki, H. Yamauchi and K. Suzuki 261

Muon spin relaxation in the heavy fermion system UPt_3
G.M. Luke, A. Keren, L.P. Le, W.D. Wu, Y.J. Uemura, D.A. Bonn, L. Taillefer and J.D. Garrett 264

Dilatometry study of the superconducting phases of UPt_3
N.H. van Dijk, A. de Visser, J.J.M. Franse, S. Holtmeier, L. Taillefer and J. Flouquet 267

Reduced-moment antiferromagnetism in single-crystal UNi_4B
S.A.M. Mentink, H. Nakotte, A. de Visser, A.A. Menovsky, G.J. Nieuwenhuys and J.A. Mydosh 270

μ^+SR study in $CeCu_6$ single crystal
A. Amato, R. Feyerherm, F.N. Gygax, D. Jaccard, A. Schenck, J. Sierro, E. Walker and U. Zimmermann 273

Evidence for static ultrasmall-moment magnetism in $CeRu_2Si_2$
A. Amato, C. Baines, R. Feyerherm, J. Flouquet, F.N. Gygax, P. Lejay, A. Schenck and U. Zimmermann 276

B–T phase diagram of superconducting $CeCu_2Si_2$
B. Wolf, G. Bruls, W. Sun, W. Assmus, B. Lüthi, H. Schimanski, K. Gloos and F. Steglich 279

Superconducting states and possible T_c splitting in UX_2Al_3 (X = Pd, Ni)
M.-a. Ozaki and K. Machida 282

^{27}Al NMR study of the new heavy-fermion superconductors UM_2Al_3 (M = Ni, Pd)
M. Kyogaku, Y. Kitaoka, K. Asayama, N. Sato, T. Sakon, T. Komatsubara, C. Geibel, C. Schank and F. Steglich 285

Anisotropic magnetoresistance of UPd_2Al_3
R. Köhler, J. Diehl, H. Fischer, N. Sato, T. Komatsubara, C. Geibel and F. Steglich 288

High-field magnetoresistance of heavy-fermion UPd_2Al_3
A. de Visser, K. Bakker, L.T. Tai, A.A. Menovsky, S.A.M. Mentink, G.J. Nieuwenhuys and J.A. Mydosh 291

Thermal expansion, magnetostriction and elastic constants of UPd_2Al_3
R. Modler, K. Gloos, H. Schimanski, C. Geibel, M. Günther, G. Bruls, B. Lüthi, T. Komatsubara, N. Sato, C. Schank and F. Steglich 294

Physical properties of UPd_2Al_3 at low temperature
T. Sakon, K. Imamura, N. Takeda, N. Sato and T. Komatsubara 297

μ^+SR studies of the magnetic and superconducting states of URu_2Si_2
E.A. Knetsch, A.A. Menovsky, G.J. Nieuwenhuys, J.A. Mydosh, A. Amato, R. Feyerherm, F.N. Gygax, A. Schenck, R.H. Heffner and D.E. MacLaughlin 300

Precise determination of the pressure dependence of T_c in the heavy-fermion superconductor $CeCu_2Si_2$
F. Thomas, J. Thomasson, C. Ayache, C. Geibel and F. Steglich 303

Chapter 4. Multi-channel and two-impurity Kondo problems

Fermi level tuning and the Kondo resonance in $Y_{1-x}U_xPd_3$
J.W. Allen, L.Z. Liu, R.O. Anderson, C.L. Seaman, M.B. Maple, Y. Dalichaouch, J.-S. Kang, M.S. Torikachvili and M.L. de la Torre 307

Selection rules for two-channel Kondo models of U^{4+} and Ce^{3+} ions in metals
D.L. Cox 312

Single-site and inter-site effects in diluted heavy fermion compounds
T. Sakakibara, H. Amitsuka, D. Sugimoto, H. Mitamura and K. Matsuhira 317

Excitation spectra of two-impurity and multi-channel Kondo systems by the numerical renormalization group method
O. Sakai, Y. Shimizu and N. Kaneko 323

Anomalies in Pr-based compounds
E.V. Sampathkumaran and I. Das 328

Renormalization group treatment of two interacting magnetic impurities in a metal
J.W. Rasul and P. Schlottmann 334

Evidence of unusual Kondo effects in dilute uranium compounds $U_xTh_{1-x}Ru_2Si_2$ ($x \leq 0.07$)
H. Amitsuka, T. Hidano, T. Honma, H. Mitamura and T. Sakakibara 337

Neutron scattering study of the quadrupolar Kondo alloy $Y_{0.8}U_{0.2}Pd_3$
H.A. Mook, C.L. Seaman, M.B. Maple, M.A. Lopez de la Torre, D.L. Cox and M. Makivic 341

μSR study of spin-glass freezing in $Y_{1-x}U_xPd_3$ and UPd_4
W.D. Wu, A. Keren, L.P. Le, G.M. Luke, Y.J. Uemura, C.L. Seaman, Y. Dalichaouch and M.B. Maple 344

Chapter 5. Low carrier systems and Kondo insulators

Heavy fermion state in low carrier concentration systems for rare earth pnictides and chalcogenides
T. Suzuki 347

Physics of YbBiPt
J.D. Thompson, P.C. Canfield, A. Lacerda, M.F. Hundley, Z. Fisk, H.-R. Ott, E. Felder, M. Chernikov, M.B. Maple, P. Visani, C.L. Seaman, M.A. Lopez de la Torre and G. Aeppli 355

Phase diagram of the Kondo lattice model
K. Ueda, H. Tsunetsugu and M. Sigrist 358

Are Kondo insulators gapless?
P. Coleman, E. Miranda and A. Tsvelik 362

Lattice and magnetic excitations in SmB_6
P.A. Alekseev 365

Kondo insulators: $1/N$ and quantum Monte Carlo studies
T. Saso and J. Ogura 372

Impurity states in Kondo insulators: Density of states and specific heat
P. Schlottmann 375

Transport properties of heavy-fermion semiconductors
P.S. Riseborough 378

Magnetic impurity in nonmetallic systems
K. Takegahara, Y. Shimizu, N. Goto and O. Sakai 381

Magnetic excitations in SmB_6 single crystals
P.A. Alekseev, J.-M. Mignot, J. Rossat-Mignod, V.N. Lazukov and I.P. Sadikov 384

Energy gap state of Gd_2S_3
S. Kimura, T. Suzuki, M. Ikezawa and T. Kasuya 387

Physical properties of ternary rare earth compounds RPt(Au)Sb
H. Suzuki, T. Yamaguchi, K. Katoh and M. Kasaya 390

Pressure dependence of the crystal field state of a low carrier system CeP
M. Kohgi, T. Osakabe, N. Mōri, H. Takahashi, Y. Okayama, H. Yoshizawa, Y. Ohara, S. Ikeda, T. Suzuki and Y. Haga 393

Multistep magnetization induced by the Landau level crossing in CeP
T. Kuroda, K. Sugiyama, Y. Haga, T. Suzuki, A. Yamagishi and M. Date 396

Low-temperature nuclear orientation of $CeNi_2Al_5$ and CeNiSn
K. Nishimura, I.S. Oliveira, N.J. Stone, P. Richards, S. Ohya, Y. Isikawa and K. Mori 400

Photoemission study of CeTSn (T = Ni, Pd, Pt), CePdGa and $CeNi_{0.7}Co_{0.3}Sn$
S. Nohara, H. Namatame, A. Fujimori and T. Takabatake 403

Energy gap suppression by alloying in $CeNi_{1-x}Pt_xSn$
S. Nishigori, H. Goshima, T. Suzuki, T. Fujita, G. Nakamoto, T. Takabatake, H. Fujii and J. Sakurai 406

Neutron scattering study of CeNiSn
M. Kohgi, K. Ohoyama, T. Osakabe, M. Kasaya, T. Takabatake and H. Fujii 409

Magnetic behavior of CeTSn (T = Ni, Pt) from μSR and Mössbauer spectroscopy
G.M. Kalvius, A. Kratzer, K.H. Münch, F.E. Wagner, S. Zwirner, H. Kobayashi, T. Takabatake, G. Nakamoto, H. Fujii, S.R. Kreitzman and R. Kiefl 412

Neutron scattering and X-ray diffraction study of the valence-unstable system $Ce_{1-x}La_xNiSn$
P.A. Alekseev, E.S. Clementyev, V.N. Lazukov, I.P. Sadikov, E.A. Goremychkin and I.L. Sashin 416

Transport properties under high pressure of the dense Kondo compounds CePdSn and YbB_{12}
F. Iga, M. Kasaya, H. Suzuki, Y. Okayama, H. Takahashi and N. Mori 419

NMR and μSR studies of valence fluctuation and magnetism in Sm_3Se_4
S. Takagi, H. Suzuki, A. Ochiai, T. Suzuki, A. Amato, R. Feyerherm, F.N. Gygax and A. Schenck 422

Magnetoresistance of the Kondo insulator $Ce_3Bi_4Pt_3$
M.F. Hundley, A. Lacerda, P.C. Canfield, J.D. Thompson and Z. Fisk 425

Localized f-electron antiferromagnetism, heavy fermion behavior and mixed valence in $Ce_3Au_3Sb_4$, $Ce_3Pt_3Sb_4$ and related compounds
K. Katoh and M. Kasaya 428

NMR investigations of the ground state in the gap-type Kondo lattice compound CeNiSn and the low-carrier system Yb_4As_3
Y. Kitaoka, M. Kyogaku, K. Nakamura, G.-q. Zheng, H. Nakamura, K. Asayama, T. Takabatake, H. Tanaka, H. Fujii and T. Suzuki 431

Specific heat measurements of Yb_4As_3
P.H.P. Reinders, U. Ahlheim, K. Fraas, F. Steglich and T. Suzuki 434

Charge-ordering in Sm_4Bi_3 and Yb_4As_3 with the anti-Th_3P_4 structure
A. Ochiai, D.X. Li, Y. Haga, O. Nakamura and T. Suzuki 437

Gap state of SmB_6
T. Nanba, H. Ohta, M. Motokawa, S. Kimura, S. Kunii and T. Kasuya 440

Chapter 6. Cerium and ytterbium compounds

Why the magnetic and electrical properties of Ce monopnictides are so sensitive to pressure
N. Môri, Y. Okayama, H. Takahashi, Y. Haga and T. Suzuki 444

Spin dynamics of YbX (X = N, P, As)
K. Ohoyama, M. Kohgi, T. Otomo, T. Osakabe, A. Oyamada and T. Suzuki 451

Thermodynamic and transport properties of $CeAl_3$ single crystals
G. Lapertot, R. Calemczuk, C. Marcenat, J.Y. Henry, J.X. Boucherle, J. Flouquet, J. Hammann, R. Cibin, J. Cors, D. Jaccard and J. Sierro 454

Thermal, electrical and magnetic properties of $CeNiAl_4$ single crystals
T. Mizushima, Y. Isikawa, K. Oyabe, K. Mori and J. Sakurai 457

Kondo effect and quadrupolar interactions in single-crystal $CePd_2Al_3$
S.A.M. Mentink, N.M. Bos, G.J. Nieuwenhuys, A. Drost, E. Frikkee, L.T. Tai, A.A. Menovsky and J.A. Mydosh 460

YbNiSb – a possible heavy-fermion compound
S.K. Dhar, K.A. Gschneidner Jr. and R. Vijayaraghavan 463

Heavy fermion characteristics in amorphous and crystallized $Ce_{66}Si_{34}$ alloys
T. Hihara, K. Sumiyama, H. Yamauchi, T. Suzuki and K. Suzuki 466

Heavy-electron behaviour in $CePt_2Sn_2$ single crystals
T. Shigeoka, K. Hirota, M. Ishikawa, T. Takabatake and H. Fujii 469

Dense Kondo states in Pd–Ce intermetallic compounds under high pressure
M. Itakura, Y. Aya, D. Hirakami, N. Kuwano and K. Oki 472

Neutron scattering and specific heat experiments in $CePt_2Sn_2$
J.-M. Mignot, R. Kahn, M.-J. Besnus, J.-P. Kappler and C. Godart 475

Magnetic properties of CeB_2C and CeB_2C_2
K. Hirota and M. Ishikawa 478

Thermal expansion and effect of pressure on the electrical resistivity of a new dense Kondo compound $CePtSi_2$
G. Oomi, T. Kagayama and Y. Uwatoko 481

The Kondo effect in $Yb_{1-x}La_xPd_2Si_2$
I. Das, E.V. Sampathkumaran and R. Vijayaraghavan 485

Annealing studies on the heavy-fermion materials CeM_2Sn_2
P. de V. du Plessis, A. Baran, T. Germishuyse, R.P. Gers, C. Esterhuyse, J.L. van Heerden, P.J. van Greunen and A.M. Strydom 487

CeGeGa – a ferromagnetic dense Kondo system
S.K. Dhar, S.M. Pattalwar and R. Vijayaraghavan 491

Thermal conductivity of $YbCu_4Ag$ and $YbCu_4In$ compounds
E. Bauer, E. Gratz, G. Hutflesz, A.K. Bhattacharjee and B. Coqblin 494

Antiferromagnetism and crystal-field effects in polycrystal $CePd_2Al_3$
S.A.M. Mentink, N.M. Bos, G.J. Nieuwenhuys, A.A. Menovsky and J.A. Mydosh 497

μSR study of the heavy-electron system $Ce(Ru_{1-x}Rh_x)_2Si_2$
S. Murayama, C. Sekine, H. Takano, K. Hoshi, K. Nishiyama and K. Nagamine 500

Resistivity of $CeRu_2Si_2$ under high pressure
K. Payer, P. Haen, J.-M. Laurant, J.-M. Mignot and J. Flouquet 503

Magnetic and transport properties of $U_{1-x}Ce_xRu_2Si_2$
M. Mihalik, A. de Visser, K. Bakker, L.T. Tai, A.A. Menovsky, R.W.A. Hendrikx, T.J. Gortenmulder, S. Matas and N. Sato 507

Effect of transition metal substitution on the metamagnetic properties of $CeRu_2Si_2$
C. Sekine, T. Yoshida, S. Murayama, K. Hoshi and T. Sakakibara 511

Transport and magnetic properties of the new ternary compound $CeRuSi_2$ at low temperatures
V.N. Nikiforov, V. Kováčik, I.O. Grishchenko, A.A. Velikhovski, J. Mirkovič, B.I. Shapiev, O.I. Bodak and Yu.D. Seropegin 514

NMR study of magnetism in the $Ce(Ru_{1-x}Rh_x)_2Si_2$ system
K. Fujiwara, K. Kumagai, C. Sekine and S. Murayama 517

Magnetovolume effects in $Ce_{0.985}Y_{0.015}Ru_2Si_2$
S. Holtmeier, P. Haen, A. de Visser, A. Lacerda, P. Lejay and J. Flouquet 521

Thermoelectric power on $Ce_{1-x}La_xPd_2Si_2$
Y. Bando, J. Sakurai and E.V. Sampathkumaran 525

Pressure dependence of the ^{31}P and ^{75}As Knight shifts in CeP and CeAs
K. Hiraoka, Y. Kasamatsu, K. Kojima and T. Hihara 528

Neutron scattering investigations of magnetic ordering and crystal field excitations in CeAs under high pressure
Y. Okayama, Y. Ohara, S. Mituda, H. Takahashi, H. Yoshizawa, T. Osakabe, M. Kohgi, Y. Haga, T. Suzuki and N. Mōri 531

Temperature dependences of the Knight shifts in Ce monopnictides
K. Hiraoka, Y. Kasamatsu, K. Kojima and T. Hihara 535

Magnetic-field-induced phase transitions in the cerium monochalcogenides CeS and CeSe
A. Dönni, A. Oyamada, T. Suzuki, K. Sugiyama, M. Date, G. Kido, P. Fischer, A. Furrer and F. Hulliger 538

Magnetic properties of the cerium monochalcogenides CeS and CeSe studied by neutron scattering
A. Dönni, A. Furrer, P. Fischer and F. Hulliger 541

Pressure-induced electronic phase transition in CeP
Y. Okayama, Y. Haga, H. Takahashi, T. Suzuki and N. Mōri 544

Specific heat of ytterbium monopnictides under magnetic fields
D.X. Li, A. Oyamada, H. Shida, T. Suzuki, T. Kasuya, A. Dönni and F. Hulliger 547

Crystal field levels in YbBiPt
R.A. Robinson, M. Kohgi, T. Osakabe, P.C. Canfield, T. Kamiyama, T. Nakane, Z. Fisk and J.D. Thompson 550

Antiferromagnetism and crystalline electric field in stoichiometric YbP
L. Keller, P. Fischer, A. Furrer, A. Dönni, D.X. Li and T. Suzuki 553

Valency of YbB_6
T. Nanba, M. Tomikawa, Y. Mori, N. Shino, S. Imada, S. Suga, S. Kimura and S. Kunii 557

Effect of pressure on the thermal expansion coefficient of CeNi single crystals
Y. Uwatoko, G. Oomi and J. Sakurai 560

Influence of the synthesis mode on electronic properties of Ce–Ni amorphous alloys
F. Wastin, K. Sumiyama, T. Hihara, H. Yamauchi, Y. Homma, M. Sakurai and K. Suzuki 563

CeAgGa: a ferromagnetic Ce-based compound
D.T. Adroja, B.D. Rainford and S.K. Malik 566

Thermoelectric power of amorphous Ce–Cu alloys
J. Sakurai, F. Taniguchi, K. Nishimura, K. Sumiyama, H. Amano and K. Suzuki 569

Crystal field effects in the Kondo compound $CeCu_2$
S. Takayanagi, T. Inoue, A. Fukada and Y. Ōnuki 571

Neutron scattering studies of $Ce(Zn_{1-x}Cu_x)_2$
T. Osakabe, M. Kohgi, K. Ohoyama and T. Kitai 574

Anomalous negative thermal expansion of $CeInCu_2$
A. de Visser, K. Bakker and J. Pierre 577

Calculation of magneto-optical spectra of CeSb
A. Narita and J. Schoenes 580

Magnetic properties on CeCuSn
J. Sakurai, K. Kegai, K. Nishimura, Y. Ishikawa and K. Mori 583

Magnetoresistance of $(Ce_xGd_{1-x})Cu_6$ compounds
E. Bauer, E. Gratz, M. Maikis, H. Kirchmayr, S.B. Roy and B.R. Coles 586

Magnetic correlations and magnetic ordering in $CeCu_{6-x}$ Au_x single crystals
H. v. Löhneysen, H.G. Schlager and A. Schröder 590

Electrical resistivity and effect of pressure on the thermal expansion of a single crystal of $YbCu_2Si_2$
Y. Uwatoko, G. Oomi, J.D. Thompson, P.C. Canfield and Z. Fisk 593

Magnetism of R_2Ni_7 and RNi_3 (R = Y, La, Ce)
Y. Tazuke, R. Nakabayashi, S. Murayama, T. Sakakibara and T. Goto 596

^{27}Al NMR and NQR of dense-Kondo compounds $CeNiAl_4$ and $CeNi_2Al_5$
K. Fujiwara, Y. Yamanashi and K. Kumagai 599

Ground state properties of cerium hexaborides
T. Matsumura, K. Iwashita and S. Kunii 602

Anomaly in the specific heat of the new material Yb_3S_4
Y.S. Kwon, Y. Haga, C. Ayache, T. Suzuki and T. Kasuya 605

Structural and magnetic properties of $YbCu_{5-x}Al_x$ compounds
E. Bauer, E. Gratz, L. Keller, P. Fischer and A. Furrer 608

Magnetic and thermal properties of $Ce_{1-x}La_xPd_2Al_3$
H. Kitazawa, A. Mori, S. Takano, T. Yamadaya, A. Matsushita, T. Matsumoto, N. Sato, T. Komatsubara, C. Schank, C. Geibel and F. Steglich 612

Zero-field muon spin relaxation studies of low-temperature magnetism in $Yb_xY_{1-x}BiPt$ ($x = 1.0$ and 0.5)
A. Amato, P.C. Canfield, R. Feyerherm, Z. Fisk, F.N. Gygax, R.H. Heffner, E.A. Knetsch, D.E. MacLaughlin, H.R. Ott, A. Schenck, J.D. Thompson and U. Zimmermann 615

Thermal expansion in $CeNi_{0.8}Pt_{0.2}$ ferromagnetic Kondo compound
J. Rodríguez Fernández, J.I. Espeso, J.A. Blanco and J.C. Gómez Sal 618

Nuclear magnetic relaxation in a heavy fermion compound YbAs
A. Oyamada, S. Maegawa, T. Goto, T. Suzuki and T. Kasuya 621

Thermal expansion of the heavy fermion compound $CeAl_3$ under high pressure
T. Kagayama and G. Oomi 624

Chapter 7. Other rare earth compounds

Magnetoelastic interaction of rare earth hexaborides
S. Nakamura, T. Goto, A. Tamaki, S. Kunii, K. Iwashita and M. Kasaya 627

Magnetic and transport properties of $RE_3Ir_4Sn_{13}$
H. Sato, T. Fukuhara, S. Iwakawa, Y. Aoki, I. Sakamoto, S. Takayanagi and N. Wada 630

Anomalous magnetism of the frustrated compound $GdInCu_4$
H. Nakamura, K. Ito, H. Wada and M. Shiga 633

Electrical and magnetic properties of heavy rare-earth hexaborides
K. Iwashita, T. Matsumura, K. Segawa and S. Kunii 636

Heat capacity, resistivity and magnetic susceptibility behaviour of $Pr_{1-x}La_xCu_2Si_2$ alloys
I. Das, E.V. Sampathkumaran, H. Yamamoto and M. Ishikawa 639

Transport property of $SmAg_{1-x}In_x$
K. Yagasaki, T. Burkov and E. Gratz 643

Mechanism of the magnetization process of DyB_6
S. Kunii, K. Iwashita, T. Matsumura and K. Segawa 646

Field dependence of the spin–lattice relaxation rate $1/T_1$ of HfV_2
Y. Kishimoto, T. Ohno, T. Kanashiro, Y. Michihiro, Y. Kitaoka and K. Asayama 649

Magnetic phase diagram of $NdRu_2Si_2$
T. Shigeoka, N. Iwata, T. Kishino, M. Nishi, Y. Oohara and H. Yoshizawa 652

Transport properties of RGa_2 (R = La, Ce and Sm)
H. Henmi, Y. Aoki, T. Fukuhara, I. Sakamoto and H. Sato 655

Low-temperature specific heat of RIn_3 (R = La–Ho)
K. Satoh, Y. Fujimaki, I. Umehara, J. Itoh, Y. Ōnuki and M. Kasaya 658

Physical properties of antiferromagnetic ternary compound $SmPd_2Al_3$
H. Kitazawa, A. Mori, S. Takano, T. Yamadaya, A. Matsushita and T. Matsumoto 661

Chapter 8. U compounds and other actinides

Neutron and synchrotron X-ray scattering experiments on actinides
G.H. Lander 664

Magnetic excitations and phase transitions in UPd_3
K.A. McEwen, U. Steigenberger and J.L. Martinez 670

Magnetic properties of cubic NpX_3 compounds
J.P. Sanchez, M.N. Bouillet, E. Colineau, A. Blaise, M. Amanowicz, P. Burlet, J.M. Fournier, T. Charvolin and J. Larroque 675

Intermediate valent PuTe: negative elastic constants
M. Mendik, P. Wachter, J.C. Spirlet and J. Rebizant 678

Mössbauer spectroscopy of $NpPd_2Al_3$
S. Zwirner, J.C. Spirlet, J. Rebizant, W. Potzel, G.M. Kalvius, Ch. Geibel and F. Steglich 681

Magnetic properties of single crystalline UPd_2Si_2
T. Honma, H. Amitsuka, T. Sakakibara, K. Sugiyama and M. Date 684

Pressure effects on the high-field magnetoresistance of heavy-fermion $U(Pt_{0.95}Pd_{0.05})_3$
K. Bakker, A. de Visser, A.A. Menovsky and J.J.M. Franse 687

NMR study of UPt_2Sn
K. Kojima, H. Iwasaki, T. Takabatake, H. Fujii and T. Hihara 691

Low-temperature magnetoresistance and magnetic phase diagram of the intermetallic actinide compound $NpPt_3$
H. Kitazawa, Y. Kwon, Y. Ohe, M. Amanowicz, C. Ayache, J. Rossat-Mignod, J. Rebizant, J.C. Spirlet, T. Suzuki and T. Kasuya 694

Effect of pressure on magnetic transitions in UNiGa
V. Sechovský, L. Havela, F.R. de Boer, E. Brück, Y. Uwatoko and G. Oomi 697

Temperature dependence of sound velocity in UPdGe
H. Ishiyama, M. Yoshizawa and S. Kawamata 700

Effect of pressure on the Hall effect in $U_3Ni_3Sn_4$
T. Hiraoka, T. Sada, T. Takabatake and H. Fujii 703

Hall effect and magnetoresistance in UNiSn
J. Diehl, H. Fischer, R. Köhler, C. Geibel, F. Steglich, Y. Maeda, T. Takabatake and H. Fujii 708

A new heavy-electron compound UZn_{12}
Y. Nakazawa, M. Ishikawa, S. Noguchi and K. Okuda 711

Spin fluctuations to local moment in $USn_{3-x}In_x$ system
R.J. Begum, R. Nagarajan and L.C. Gupta 714

Dynamical magnetic properties of $U_3Co_3Sb_4$
T. Ohama, H. Yasuoka, T. Takabatake and H. Fujii 717

Hall effect of URu_2Si_2 in very high magnetic fields up to 40.5 T
K. Bakker, A. de Visser, A.A. Menovsky and J.J.M. Franse 720

Metamagnetic magnetization of heavy fermion single crystal UPd_2Al_3 in high magnetic fields
K. Sugiyama, T. Inoue, T. Ikeda, N. Sato, T. Komatsubara, A. Yamagishi and M. Date 723

Electrical resistivity of some uranium compounds
K. Kadowaki 727

Sublattice contributions to the magnetism of $UFe_{10}Si_2$
A.V. Andreev, W. Suski, F.G. Vagizov and H. Drulis 730

Structural and physical properties of new U–T–Ga compounds (T = Ni, Cu and Pd)
T. Takabatake, Y. Maeda, H. Fujii, S. Ikeda, S. Nishigori, T. Fujita, A. Minami, I. Oguro, K. Sugiyama, K. Oda and M. Date 734

Transport and thermal properties of $U_3Rh_4Sn_{13}$ and $U_5Ru_6Sn_{18}$
Y. Aoki, H. Sato, T. Fukuhara, S. Takayanagi, Y. Ōnuki and N. Wada 738

Magnetic phase transitions in $UNi_{1-x}Pd_xGe$ and $UPd_{1-y}Pt_yGe$
S. Kawamata, K. Ishimoto, Y. Yamaguchi, H. Iwasaki and N. Kobayashi 741

Magnetic and transport properties of the UAuM series (M = Al, Ga, Si, Ge and Sn)
V.H. Tran and R. Troć 744

Magnetic and electric properties of $UNi_{1-x}Co_xGa_5$
S. Noguchi and K. Okuda 749

Anomalous Magnetization Behaviour in $URu_{1-x}Rh_xAl$
V. Sechovský, L. Havela, F.R. de Boer, H. Nakotte, K. Sugiyama, T. Kuroda, M. Ono and M. Date 752

Spin dynamics of UAs in the paramagnetic state as studied by ^{75}As NMR
H. Suzuki, S. Takagi, K. Mattenberger and O. Vogt 755

Anomalous thermal expansion of single-crystalline UGe_2
G. Oomi, K. Nishimura, Y. Ōnuki and S.W. Yun 758

dHvA measurement in a semimetallic compound U_3P_4
Y. Inada, H. Aono, N. Takeda, N. Sato, A. Sawada, M. Suzuki, T. Suzuki and T. Komatsubara 761

Element distribution and specific heat of $UNi_{10-x}Cu_xSi_2$
W. Suski, K. Wochowski, J. Janczak, T. Plackowski, K. Rogacki and D. Włosewicz 764

Effect of pressure on the magnetic superzone gap in antiferromagnetic uranium compounds UCu_2Sn and UCu_3Ga_2
M. Kurisu, T. Takahashi, Y. Maeda, H. Iwasaki, T. Takabatake and H. Fujii 766

Impurity effects on the low-temperature properties of UAl_2
T. Kuwai, H. Enami, Y. Miyako, C.C. Paulsen, J. Voiron, J.L. Tholence and T. Shikama 769

Effect of pressure on magnetic ordering in UGe_2
H. Takahashi, N. Môri, Y. Ōnuki and S.W. Yun 772

Specific heat and magnetocaloric effect in UNiGa
V. Sechovský, L. Havela, F.R. de Boer, E. Brück, T. Suzuki, S. Ikeda, S. Nishigori and T. Fujita 775

Magnetic ordering of $U(Co_{1-x}Ni_x)_2Ge_2$ compounds
T. Endstra, B.J. van Rossum, G.J. Nieuwenhuys and J.A. Mydosh 778

The electrical resistivity of the new UCu_2Sn_2 compound
A. Baran and P. de V. du Plessis 781

Critical exponent β of U_3P_4
A.M. Strydom, P. de V. du Plessis, D. Kaczorowski and R. Troć 785

Stacking faults in UPt_3
M.C. Aronson, R. Clarke, B.G. Demczyk, B.R. Coles, J.L. Smith, A. de Visser, T. Vorenkamp and J.J.M. Franse 788

^{29}Si NMR study in $U(Ru_{1-x}Re_x)_2Si_2$
Y. Kohori, Y. Noguchi, T. Kohara, Y. Dalichaouch, M.A. Lopez de la Torre and M.B. Maple 792

Alloying effects in U heavy-fermion compounds
J.-G. Park and B.R. Coles 795

A μSR study of UIn_3, USn_3 and $U(Sn_{0.5}In_{0.5})_3$
S. Zwirner, J.C. Spirlet, K.H. Münch, A. Kratzer, L. Asch and G.M. Kalvius 798

Chapter 9. Theory

Van Hove scenario for cuprate superconductivity
D.M. Newns, H.R. Krishnamurthy, P.C. Pattnaik, C.C. Tsuei, C.C. Chi and C.L. Kane 801

Some new aspects of RVB theory in high-T_c cuprates
N. Nagaosa 808

Electron–phonon interactions in oxide superconductors
H. Rietschel, L. Pintschovius and W. Reichardt 813

The role of electron–phonon interaction in oxide superconductors
K. Motizuki and M. Shirai 816

Spin-Peierls fluctuation and dimerization: a possible mechanism of superconductivity
M. Imada 822

Bethe-ansatz solutions of 1D correlated electron systems with long-range exchange
N. Kawakami 828

Supersymmetric long-range t–J model as a new canonical model for strongly correlated fermions
Y. Kuramoto 831

Ferromagnetism of Hubbard models
E. Müller-Hartmann, Th. Hanisch and R. Hirsch 834

Static and dynamic properties of magnetic systems with competing dipolar and tensorial order parameters
F.P. Onufrieva 837

Influence of local exchange and Coulomb interactions between conduction and f-electrons in the Anderson impurity model
J. Keller, R. Freytag, A. Bauer, F.B. Anders and N. Grewe 841

Standard U-perturbation approach to the heavy fermion problem in high dimensions
G. Czycholl, Q. Qin and H. Schweitzer 844

Quantum oscillation in the vortex state in unconventional superconductors
K. Maki 847

Electronic band structures and unoccupied densities of states for Lu compounds
K. Takegahara 850

Thermal conductivity of the vortex state of unconventional superconductors
K. Maki, Y. Sun and G. Yin 853

Fractionally quantized vortices of an unconventional superconductor in a thin film
N. Ogawa, M. Sigrist and K. Ueda 856

Application of heavy fermion theory to electrical conductivity
T. Soda 858

Metamagnetic transition and electronic structure of UPt_3
M.B. Suvasini, G.Y. Guo, W.M. Temmerman and G.A. Gehring 860

Itinerant electron antiferromagnetism in $ThMn_2$
J. Kübler, M. Uhl and L. Sandratskii 863

Paramagnetism in granular high-T_c superconductors
M. Sigrist and T.M. Rice 866

Calculation of the temperature dependence of the susceptibility of heavy-fermion compounds from the periodic Anderson model
T.M. Hong, G.A. Gehring and R. Wojciechowski 869

Energy band structure of La_2Sb
H. Harima 873

Scaling theory of mixed-valence systems
T. Yanagisawa 876

Magnetic state and spin-resolved core XPS using polarized X-rays
S. Imada 879

Spin liquid ground state of the half-filled Kondo lattice in one dimension
H. Tsunetsugu, Y. Hatsugai, K. Ueda and M. Sigrist 882

Survey of the charge excitation gap by a 2D filter
T. Nishino 885

The uniform and staggered magnetization and intersite interaction of the two-impurity Anderson model
N. Kaneko, J. Kato, O. Sakai and Y. Shimizu 888

Excitation spectra of the two-channel Anderson model
Y. Shimizu and O. Sakai 891

$CeCu_2Si_2$: Renormalized band structure, quasiparticles and co-operative phenomena
G. Zwicknagl and U. Pulst 895

Degenerate supersymmetric t–J model in one dimension
P. Schlottmann 899

A band structure treatment of 4f electrons in DHCP Pr metal
W.M. Temmerman, Z. Szotek and H. Winter 903

Broken-symmetry solutions of the three-band extended Hubbard model
S. Yamamoto and M.-a. Ozaki 907

Theory of the anomalous Hall effect in heavy-fermion systems
H. Kohno, K. Yamada and S. Inagaki 910

Ferromagnetism in the Kondo lattice model
M. Sigrist, H. Tsunetsugu and K. Ueda 913

Excitation spectra of the Anderson model with Coulomb interaction between localized and conduction electrons
R. Takayama and O. Sakai 915

Computational analysis of crystal field parameters of rare-earth transition-metal compounds
M. Richter, P.M. Oppeneer, H. Eschrig and B. Johansson 918

The tight-binding method for correlated electrons
V.A. Ivanov 921

Two-dimensional antiferromagnetic excitations in Nd_2CuO_4
P. Bourges, A.S. Ivanov, D. Petitgrand, J. Rossat-Mignod and L. Boudarene 925

Spectral function and Fermi surface in high-T_c cuprates
Y. Ohta, K. Tsutsui, W. Koshibae, T. Shimozato and S. Maekawa 928

Metal–insulator transition in the two-dimensional Hubbard model
N. Furukawa and M. Imada 931

Transfer-integral-expansion study of the undoped and doped electronic states of the d–p model for the CuO_2 plane
M. Kataoka 935

Many-body effects on NMR and low-frequency conductivity in superconducting states of copper oxides
S. Fujimoto 938

Magnetic properties of the extended t–J model
H. Kohno, T. Tanamoto and H. Fukuyama 941

Dynamical spin and charge fluctuations in the p–d mixing model
S. Ishihara, H. Matsumoto and M. Tachiki 944

Behavior of the Néel temperature and the staggered susceptibility from two-dimensional to three-dimensional systems
R. Konno 947

Momentum distribution function of the two-dimensional Hubbard model
W. Börner, J. Keller and C.E. Leal 950

A variational Monte Carlo study of the three-band Hubbard model
A. Oguri, T. Asahata and S. Maekawa 953

Dynamics of a hole in the spin–fermion model
J. Inoue, S. Akazawa and S. Maekawa 956

Optical conductivity of the two-dimensional Hubbard model
W. Brenig 959

Interplay between motion of hole and spin fluctuation in a quantum antiferromagnet at finite temperatures
J. Igarashi and P. Fulde 962

Phase separation and long-range Coulomb interaction in CuO_2 layer structures
A. Miyanaga, Y. Hasegawa and H. Fukuyama 965

Raman scattering in the two-dimensional Hubbard model
T. Tohyama, J. Inoue and S. Maekawa 968

Fermi liquid theory in two dimensions
S. Yarlagadda and S. Kurihara 971

Chapter 10. High-T_c superconductors

Electron correlation and optical conductivity in high-T_c copper oxides – origin of the mid-infrared absorption band
S. Uchida, H. Eisaki and S. Tajima 975

Evolution of the spectral function in Mott–Hubbard systems across metal–insulator transitions
A. Fujimori, I. Hase, Y. Tokura, M. Abbate, F.M.F. de Groot, J.C. Fuggle, H. Eisaki and S. Uchida 981

AC conductivity in superconducting $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ thin films
P. Lunkenheimer, A. Loidl, C. Tomé-Rosa, P. Wagner and H. Adrian 986

Far-infrared properties of the modified Heusler alloys (U, Th)NiSn
S. Kilibarda-Dalafave, H.K. Ng, J.E. Crow, P. Pernambuco-Wise, T. Yuen and C.L. Lin 989

Change of electronic structures with hole doping in strongly correlated electron systems: titanium oxides
Y. Tokura, Y. Taguchi, Y. Okada, T. Katsufuji, T. Arima and K. Kumagai 992

Electrical resistivity anomalies in the perovskites $La_{1-x}Sr_xMnO_3$
A. Chainani, M. Mathew, D.D. Sarma, I. Das and E.V. Sampathkumaran 995

Transport properties of $(Ba_{1-x}Sr_x)_2Cu_{1.1}O_{2.2+\delta}(CO_3)_{0.9}$ $(0.35 \leqslant x \leqslant 0.6)$
K. Kinoshita, H. Shibata, K. Semba and T. Yamada 998

Spin susceptibility in $YBa_2Cu_4O_8$: ^{17}O and ^{63}Cu NMR study
G.-q. Zheng, Y. Kitaoka, K. Asayama and Y. Kodama 1001

Evidence of hole filling or hybridization in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ and $Nd_{1-x}Ce_xBa_2Cu_3O_{7-\delta}$ thin films
G. Cao, J. Bolivar, J.W. O'Reilly, J.E. Crow, R.J. Kennedy and P. Pernambuco-Wise 1004

Anisotropy of $^{63}Cu(2)$ relaxation in $YBa_2Cu_3O_{6.89}$ below T_c
O. Okada and K. Kumagai 1008

^{63}Cu NMR study of heavily doped superconductor $TlSr_2CaCu_2O_{7-y}$
G.-q. Zheng, K. Magishi, Y. Kitaoka, K. Asayama, T. Kondo, Y. Shimakawa, T. Manako and Y. Kubo 1012

Cu NMR and NQR study of impurity-doped $YBa_2Cu_3O_7$
K. Ishida, Y. Kitaoka, N. Ogata, T. Kamino, K. Asayama, J.R. Cooper and N. Athanassopoulou 1015

Thermal conductivity of impurity-doped high-T_c superconductors
S.T. Ting, P. Pernambuco-Wise and J.E. Crow 1018

Superconductivity in Tb-doped $YBa_2Cu_3O_{7-\delta}$ single crystals and thin films
G. Cao, R.J. Kennedy, J.W. O'Reilly, J.E. Crow, P. Pernambuco-Wise and S.T. Ting 1022

Antiferromagnetic spin correlation and superconductivity in the overdoped superconductor $La_{2-x}Sr_xCuO_4$
S. Ohsugi, Y. Kitaoka, K. Ishida, S. Matsumoto and K. Asayama 1027

Heat capacity and NMR studies on electron correlations in $Ca_{1-x}Y_xVO_3$ and $Sr_{1-x}La_xTiO_3$
K. Kumagai, K. Kawano, T. Suzuki, H. Takahashi, M. Kasuya, Y. Fujishima, Y. Taguchi, Y. Okada and Y. Tokura 1030

Chapter 11. Miscellaneous

^{51}V nuclear spin–lattice relaxation in an A-15 superconductor V_3Si
T. Ohno, Y. Kishimoto, H. Kotaki, T. Yamanishi, T. Kanashiro, Y. Michihiro and Y. Yamada 1034

Ferromagnetism in the $Fe_2Mn_{1-x}V_xSi$ compound
M. Kawakami 1037

Anomalous magnetic susceptibility of $Y_2Fe_3Si_5$
H.D. Yang and H.L. Tsay 1041

Narrow-gap signature of $Fe_xCo_{1-x}Si$ single crystals
A. Lacerda, H. Zhang, P.C. Canfield, M.F. Hundley, Z. Fisk, J.D. Thompson, C.L. Seaman, M.B. Maple and G. Aeppli 1043

Magnetic penetration depth of quasi-two-dimensional organic superconductors
M. Lang, N. Toyota and T. Sasaki 1046

de Haas–van Alphen oscillations in the superconducting mixed state of 2H–$NbSe_2$ and Nb
Y. Ōnuki, I. Umehara, T. Ebihara, A.K. Albessard, K. Satoh, K. Takita, H. Aoki, S. Uji and T. Shimizu 1050

Superconducting proximity effect in Cu-clad Nb wires doped with Mn, Fe, Co and Ni
Y. Oda, A. Sumiyama, H. Toyoda and K. Asayama 1053

Highly correlated, quasi-two-dimensional organic metals
N. Toyota and T. Sasaki 1056

Cu NMR study of the organic conductor $(DMe\text{–}DCNQI)_2Cu$
K. Ishida, Y. Kitaoka, H. Masuda, K. Asayama, T. Takahashi, K. Kanoda, A. Kobayashi, R. Kato and H. Kobayashi 1059

^{51}V NMR study of the electronic correlation in layered perovskite compounds $Sr_{n+1}V_nO_{3n+1}$
M. Itoh, N. Fukushima, S. Tanaka and K. Ando 1062

Weak ferromagnetism in κ-$(ET)_2Cu[N(CN)_2]Cl$
U. Welp, S. Fleshler, W.K. Kwok, G.W. Crabtree, K.D. Carlson, H.H. Wang, U. Geiser, J.M. Williams and V.M. Hitsman 1065

Electronic structure of doped C_{60}: strong correlation or lattice distortion?
T. Takahashi, T. Morikawa, H. Katayama-Yoshida, S. Hasegawa, H. Inokuchi, K. Seki, S. Hino, K. Kikuchi, S. Suzuki, K. Ikemoto and Y. Achiba 1068

Correlation effects and superconductivity in doped fullerite
V.A. Ivanov 1071

Electronic structure and metal–insulator transitions in Ti and V oxides
I. Hase, A. Fujimori, H. Namatame, Y. Fujishima, Y. Tokura, M. Abbate, F.M. de Groot, J.C. Fuggle, H. Eisaki and S. Uchida 1074

Metal–insulator transition in DCNQI-Cu
M. Nakano, M. Kato and K. Yamada 1077

Chapter 12. Closing talks

Conference summary: Theory
S. Maekawa 1080

Conference summary
F. Steglich 1083

List of contributors 1091

Subject index 1097

Materials index 1101